

PA 1105839

5030382
REC'D 04 OCT 2004

WIPO

PCT

THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

BEST AVAILABLE COPY

December 18, 2003

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE UNDER 35 USC 111.

APPLICATION NUMBER: 60/508,497

FILING DATE: October 03, 2003

IB/04/51921



**PRIORITY
DOCUMENT**
SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)

By Authority of the
COMMISSIONER OF PATENTS AND TRADEMARKS

T. Wallace
T. WALLACE
Certifying Officer

PATENT APPLICATION SERIAL NO. _____

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICE
FEE RECORD SHEET

10/09/2003 EAREGAY1 00000003 141270 60508497
01 FC:1005 160.00 DA

PTO-1556
(5/87)

*U.S. Government Printing Office: 2002 — 489-267/69033

PROVISIONAL APPLICATION FOR PATENT COVER SHEET

This is a request for filing a PROVISIONAL APPLICATION FOR PATENT under 37 CFR 1.53 (c).

Express Mail Label No. EV 312 069 715 US

Date of Deposit: 3 October 2003

INVENTOR(S)

Given Name (first and middle [if any])	Family Name or Surname	Residence (City and either State or Foreign Country)
George	Marmaropoulos	Yorktown Heights, NY

☐ Additional inventors are being named on the _____ separately numbered sheets attached hereto**TITLE OF THE INVENTION (280 characters max)****FABRIC DISPLAY****CORRESPONDENCE ADDRESS**

Direct all correspondence to:

☒ Customer Number

24737

24737

OR

Type Customer Number here

<input checked="" type="checkbox"/> Firm or Individual Name	PHILIPS ELECTRONICS NORTH AMERICA CORPORATION				
Address	345 SCARBOROUGH ROAD				
Address	P. O. Box 3001				
City	BRIARCLIFF MANOR	State	NY	ZIP	10510
Country	USA	Telephone	(914) 333-9608	Fax	(914) 332-0615

ENCLOSED APPLICATION PARTS (check all that apply)

- | | | | |
|---|---|--|--|
| <input checked="" type="checkbox"/> Specification Number of Pages | 6 | <input type="checkbox"/> CD(s), Number | |
| <input checked="" type="checkbox"/> Drawing(s) Number of Sheets | 2 | <input type="checkbox"/> Other (specify) | |
| <input type="checkbox"/> Application Data Sheet. See 37 CFR 1.76 | | | |

METHOD OF PAYMENT OF FILING FEES FOR THIS PROVISIONAL APPLICATION FOR PATENT (check one)

- ☐ Applicant claims small entity status. See 37 CFR 1.27.
☐ A check or money order is enclosed to cover the filing fees

FILING FEE
AMOUNT (\$)

- ☒ The Commissioner is hereby authorized to charge filing fees or credit any overpayment to Deposit Account Number: **14-1270**
☐ Payment by credit card. Form PTO-2038 is attached.

160.00

The invention was made by an agency of the United States Government or under a contract with an agency of the United States Government.

- ☒ No.
☐ Yes, the name of the U.S. Government agency and the Government contract number are: _____

Respectfully submitted,

SIGNATURE



Date

10/3/03

TYPED or PRINTED NAME

AARON WAXLER

REGISTRATION NO.: 48,027
(if appropriate)

Docket Number:

US030382

TELEPHONE

(914) 333-9608

USE ONLY FOR FILING A PROVISIONAL APPLICATION FOR PATENT

This collection of information is required by 37 CFR 1.51. The information is used by the public to file (and by the PTO to process) a provisional application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 8 hours to complete, including gathering, preparing, and submitting the complete provisional application to the PTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, Washington, D.C., 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Box Provisional Application, Assistant Commissioner for Patents, Washington, D.C. 20231.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Atty. Docket

GEORGE MARMAROPOULOS

US030382

Serial No.

Group Art Unit

Filed: CONCURRENTLY

Ex.

Title: FABRIC DISPLAY

Honorable Commissioner of Patents and Trademarks
Alexandria, VA 22313-1450

AUTHORIZATION PURSUANT TO 37 CFR §1.136(a)(3)
AND TO CHARGE DEPOSIT ACCOUNT

Sir:

The Commissioner is hereby requested and authorized to treat any concurrent or future reply in this application requiring a petition for extension of time for its timely submission, as incorporating a petition for extension of time for the appropriate length of time.

Please charge any additional fees which may now or in the future be required in this application, including extension of time fees, but excluding the issue fee unless explicitly requested to do so, and credit any overpayment, to Deposit Account No. 14-1270.

Respectfully submitted,

By 

Aaron Waxler, Reg. 48,027

Patent Agent

(914) 333-9608

S:\WX\PHUS\US030382-AUTH.DOC

FABRIC DISPLAY

BACKGROUND OF THE INVENTION

5 1. Field of the Invention

The present invention relates to visual fabric articles intended to permit the display of a certain pattern or design. More specifically, the present invention relates to a visual fabric display system that may be implemented in an article of clothing, furniture, or in other location to provide communication and informational or decorative display by the action of electrostatic charges.

10

2. Description of the Invention

The idea of dynamically changing the appearance of the fabric of a garment, for example, is highly desirable and certainly attractive for designers and the fashion industry. There are a number of display devices that utilize informational and decorative manipulatives. Attempts so far include
15 embedded LEDs, thermochromic liquid crystal, and electroluminescent materials applied to the fabrics. However, these techniques employ additional manufacturing efforts and costs.

As described in detail below, it has been found efficacious to use electrostatic charges applied to an area of fabric to realize visual display, and unlike prior art they do not involve the use of additional devices.

20

SUMMARY OF THE INVENTION

The present invention discloses a display fabric system, which includes a fabric layer having
25 at least one conductive layer therein for passing an electrostatic field and a plurality of surfaces having a plurality of furs on the surface thereof, so that selective regions covered by the furs can selectively extend out of the fabric layer in a substantially vertical orientation in response to the electrostatic field, thereby revealing the surface color of the fabric layer. In operation, an electric field is generated by the activation of a user via a conductive layer, so that the selected regions
30 covered by the furs can repel each other and extend out of the fabric layer in a substantially vertical direction. The fabric surface may comprise a plurality of different color surfaces.

According to one aspect of the invention, a garment or furniture of desired form and function can be constructed in a conventional manner using readily available fabrics and materials, and the fabrics serving as a visual display system can be positioned advantageously within a

wearable garment or furniture that permits easy manual activation by a person.

According to another aspect of the invention, the garment comprises a shirt, a hat, a jacket, a vest, a fashion accessory or the like.

5

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 illustrates an embodiment of a fabric display system in accordance with this invention.

Figure 2 illustrates a side view of the fabric layer of Figure 1 in accordance with the
10 embodiment of this invention.

DETAILED DESCRIPTION OF THE DISCLOSED EMBODIMENT

15 In the following description, for purposes of explanation rather than limitation, specific details are set forth such as the particular architecture, interfaces, techniques, etc., in order to provide a thorough understanding of the present invention. For purposes of simplicity and clarity, detailed descriptions of well-known devices, circuits, and methods are omitted so as not to obscure the description of the present invention with unnecessary detail.

20 Referring now to Figure 1 of the drawings, a fabric display system 10 in accordance with this invention includes a fabric layer 14 having a flexible layer 12 of conductive material mounted thereunder. On the top surface of the fabric 14, a fur-like or hair-like 16 is formed thereof (hereinafter referred to as "fur"). The conductive layer 12 may be coupled to a power source in the
25 well-known manner, so that a fur-like surface coupled to an electrical power source is able to electrostatically charge the area of the fur-like surface causing a local change in the orientation of the fur.

The embodiment illustrated in Figure 1 may be incorporated in the form of a conventional sleeveless top shirt, hat, or a short or long-sleeved vest or jacket, for example. In an alternate
30 embodiment, the embodiment of Figure 1 may be implemented in furniture or in other locations where the layers of electrically conductive layer 12 can be used as a coupling of electrical power for visual display purposes.

Referring to Figure 2, the furs 16(b) are resting nearly flat and covering most of the surface of the fabric 14 in the normal state. When a given surface of the fabric 14 is electrostatically charged

through the activation by the user, then the furs 16(b) repel each other and also are repelled by the surface, therefore standing nearly vertical to the surface and revealing the color of the surface. Discharging of an area causes the fur to rest back in their initial position. The charged layer 12 can carry either a positive or negative charge on its outwardly-facing surface in such a way that electrostatic forces that exist in the surface force the furs 16 to repel and extend out of the surface in a substantially vertical orientation, thereby revealing the color of the surface.

The surface of fabric 14 may be divided into a number of predetermined patterns and different colors. Hence, the pattern is determined by the fabric surfaces of different colors as well as the orientation of pieces of fabric that make up the pattern. For example, each area can be considered as a pixel and therefore charging/discharging different areas, a change in the contrast can be achieved which can form a binary image or pattern.

The material of the fabric layer 14 can be either natural or synthetic, and the fabric created from such materials can be either woven or sheet-formed in any well-known manner. For example, the fabric layer 14 can be formed of a material such as cotton, polyester, spandex, a combination thereof, or the like. Alternatively, the fabric layer 14 can be constructed from non-woven (felted) or knitted fabrics or a composite structure. However, in each alternative case, electrically conductive layer 12 is included in the production of the fabric, thus providing electrically conductive layers. The conductive layer 12 may be produced by printing them onto the fabric layer 14 or it may be mounted as adhesive tape. Alternatively, the conductive layer 12 may be produced by printing a material containing conductive particles onto the fabric layer 14. All of the alternatively described methods provide a suitable bond, forming a reliable electrical connection.

While the preferred embodiments of the present invention have been illustrated and described, it will be understood by those skilled in the art that various changes and modifications can be made, and equivalents can be substituted for elements thereof without departing from the true scope of the present invention. Thus, the shape of an interconnect system in the drawings should not impose limitations on the scope of the invention. Therefore, it is intended that the present invention not be limited to the particular embodiment disclosed as the best mode contemplated for carrying out the present invention, but that the present invention include all embodiments falling within the scope of the appended claims.

30

What Is Claimed Is:

1. A display fabric comprising:
a fabric layer having at least one conductive layer therein for passing an electrostatic field,
5 said fabric layer having a plurality of furs on the surface thereof responsive to said electrostatic field
to extend out of said fabric layer in a substantially vertical orientation, thereby revealing the surface
color of said fabric.
2. The display fabric of Claim 1, wherein the surface of said fabric layer includes a
10 plurality of predetermined color pattern surfaces.
3. The display fabric of Claim 1, wherein said conductive layer carries a positive or
negative charge on its outwardly facing surface so that said electrostatic field that exists within the
surface of said fabric layer forces said furs to repel and extend in a substantially vertical orientation.
15
4. The display fabric of Claim 1, wherein said conductive layer serves as a coupling to
a power source.
5. The display fabric of Claim 1, wherein said fabric layer is coupled to a fabric circuit
20 integrated in a garment.
6. The display fabric of Claim 5, wherein said garment is a shirt.
7. The display fabric of Claim 5, wherein said garment is a vest.
25
8. The display fabric of Claim 5, wherein said garment is a jacket.
9. The display fabric of Claim 5, wherein said garment is a hat.
- 30 10. The display fabric of Claim 1, wherein said fabric layer is coupled to a fabric circuit
integrated in furniture.

11. A method for providing a visual display with a wearable garment, said method comprising the steps of:

providing a fabric layer having at least one conductive layer therein for passing an electrostatic field and a plurality of furs on the surface thereof;

5 dressing a person in said garment provided with said fabric layer; and,

selectively providing an electrostatic force to a selective region of said conductive layer to force the corresponding said furs to extend out of said fabric layer in a substantially vertical orientation, thereby revealing the surface color of said fabric.

10 12. The method of Claim 11, further comprising the step of providing a plurality of predetermined color pattern surfaces on the surface of said fabric layer.

13. The method of Claim 11, further comprising the step of coupling a power source to said conductive layer to generate an electric field thereon by an activation of said person.

15

14. The method of Claim 11, wherein said garment is a shirt.

15. The method of Claim 11, wherein said garment is a vest.

20

17. The method of Claim 11, wherein said garment is a jacket.

18. The method of Claim 11, wherein said garment is a hat.

25 19. A method for providing a visual display with a wearable garment, said method comprising the steps of:

providing a fabric layer having at least one conductive layer therein for passing an electrostatic field and a plurality of furs on the surface thereof;


integrating said fabric layer in furniture; and,

30 selectively providing an electrostatic force to a selective region of said conductive layer to force the corresponding said furs to extend out of said fabric layer in a substantially vertical orientation, thereby revealing the surface color of said fabric.

20. The method of Claim 19, further comprising the step of providing a plurality of predetermined color pattern surfaces on the surface of said fabric layer.

ABSTRACT

5 The present invention provides a fabric display using the action of electrostatic charges to
manipulate visual displays. The fabric display comprises areas of furry fabrics that can serve as
visual effects or display of information and can be usable in a wearable garment, furniture, or other
suitable locations where it can be incorporated to close a circuit. Through activation by the user, the
surface of furry fabrics is electrostatically charged causing the furs to repel from the surface and each
other in a substantially vertical orientation with portions of the furs extending out of the surface, thus
10 revealing the color of the fabric surface.



FIG




FIG 2

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ BLACK BORDERS

☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

☒ FADED TEXT OR DRAWING

☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING

☐ SKEWED/SLANTED IMAGES

☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS

☐ GRAY SCALE DOCUMENTS

☒ LINES OR MARKS ON ORIGINAL DOCUMENT

☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.